

VAT: 4900171069  
REG: 97/54322/23

Tel: +27 21 886 6321  
Fax: +27 21 886 5121

hwsales@soldardome.co.za  
<http://www.soldardome.co.za>



19 George Blake Ave  
Plankenbrug Industria  
Stellenbosch  
South Africa  
7600

PO Box 316  
Stellenbosch  
South Africa  
7600

2010/03/01 11:34:46 AM

Soldardome Price List

Page 1 of 3

**Price List Name: General Retail Pricelist**

valid until 31 March 2010

| <u>Item Description</u>                            |   | <u>Excl Price</u> | <u>Incl Price</u> |
|--|---|-------------------|-------------------|
| Collectors: Solarplates: SPX1.3 Horizontal         | 1580 x 829 x 76mm @ 25kg                          | R 3,420.915       | R 3,899.844       |
| Collectors: Solarplates: SPX1.3 Vertical           | 1580 x 829 x 76mm @ 25kg                          | R 2,851.808       | R 3,251.061       |
| Collectors: Solarplates: SPX1.5 Vertical           | 1840 x 840 x 76mm @ 33kg                          | R 3,643.373       | R 4,153.445       |
| Collectors: Solarplates: SPX2.3 Horizontal         | 1230 x 1840 x 76mm @ 46kg                         | R 4,067.163       | R 4,636.566       |
| Collectors: Solarplates: SPX2.3 Vertical           | 1840 x 1230 x 76mm @ 46kg                         | R 4,393.068       | R 5,008.097       |
| Collectors: Solarplates: SPX2.3 Vertical Nickel p  | 1840 x 1230 x 76mm @ 46kg                         | R 4,869.340       | R 5,551.048       |
| Collectors: Solarplates: SPX2.3 Vertical MIROTHERM | 1840 x 1230 x 76mm @ 40kg                         | R 4,506.361       | R 5,137.251       |
| Collectors: Solarplates: SPX2.6                    | 1580 x 1650 x 76mm @ 47kg                         | R 4,976.796       | R 5,673.547       |
| Collectors: Solarplates: SPX2.6 Nickel plate       | 1580 x 1650 x 76mm @ 47kg                         | R 5,515.191       | R 6,287.318       |
| Collectors: Solarplates: SPX3 Vertical Nickel p    | 1840 x 1650 x 76mm @ 61kg                         | R 6,271.646       | R 7,149.677       |
| Collectors: Solarplates: SPX3.0 Vertical           | 1840 x 1650 x 76mm @ 61kg                         | R 5,650.421       | R 6,441.480       |
| Collectors: Solarplates: SPX3.0 Vertical MIROTHERM | 1840 x 1650 x 76mm @ 61kg                         | R 5,754.135       | R 6,559.713       |
| Controllers: PT1000 sensor protection              | Voltage protection device for PT1000 sensor       | R 118.720         | R 135.341         |
| Controllers: Steca Flowmeter TA VM1                | Steca Flowmeter                                   | R 830.880         | R 947.203         |
| Controllers: Steca radiation meter TA ES1          | Steca radiation meter                             | R 1,468.500       | R 1,674.090       |
| Controllers: Steca STR1                            | Adjustable Delta Temp., Hysteresis and Max Temp   | R 1,088.295       | R 1,240.656       |
| Controllers: Steca TR0301                          | Steca TR0301 Differential thermostat 2 x PT1000   | R 1,319.055       | R 1,503.723       |
| Controllers: Steca TR0603                          | Steca TR0603 Differential thermostat 3 x PT1000   | R 3,000.892       | R 3,421.017       |
| Controllers: Steca TR0603mc                        | Steca TR0603mc Differential thermostat 3 x PT1000 | R 3,736.717       | R 4,259.857       |
| Controllers: Steca TR0704                          | Steca TR0704 Differential thermostat 4 x PT1000   | R 5,005.327       | R 5,706.073       |
| Cradle Set: G610 exterior                          | Cradle set for 610 Geyser                         | R 182.214         | R 207.723         |
| Cradle Set: G610 interior                          | Cradle set for 610 Geyser                         | R 128.795         | R 146.826         |
| Drip Trays:100L Polytray drip tray                 | 100 Liter Drip Tray 1350 x580mm Polytray          | R 143.360         | R 163.430         |
| Drip Trays:150/200L Polytray drip tray             | 150/200 Liter Drip Tray 1500 x 580mm Polytray     | R 166.880         | R 190.243         |
| Drip Trays:300 L Drip Tray                         | 300 Liter Drip Tray 2140 x 650mm Galvanised       | R 308.830         | R 352.067         |
| Geysers Solar: Sunstor *1000 Litre 400kpa Direct   | 760 x 3852mm 400kpa (28mm tubing)                 | R 21,940.613      | R 25,012.299      |
| Geysers Solar: Sunstor 100 Litre 400kPa Indirect   | 620 x 795mm 400kpa @ 27kg                         | R 6,640.465       | R 7,570.130       |
| Geysers Solar: Sunstor 100 Litre 400kPa Direct     | 620 x 795mm 400kpa @ 25kg                         | R 5,671.192       | R 6,465.159       |
| Geysers Solar: Sunstor 150 Litre 400kPa Direct     | 620 x 1019mm 400kpa @ 36kg                        | R 6,178.485       | R 7,043.472       |
| Geysers Solar: Sunstor 150 Litre 400kPa Indirect   | 620 x 1019mm 400kpa @ 38kg                        | R 7,220.657       | R 8,231.549       |
| Geysers Solar: Sunstor 200 Litre 400kPa Direct     | 620 x 1273mm 400kpa @ 42kg                        | R 6,919.281       | R 7,887.981       |
| Geysers Solar: Sunstor 200 Litre 400kPa Indirect   | 620 x 1273mm 400kpa @ 43kg                        | R 8,031.483       | R 9,155.890       |
| Geysers Solar: Sunstor 300 Litre 400kPa Direct     | 620 x 1796mm 400kpa @ 58kg                        | R 8,833.028       | R 10,069.652      |
| Geysers Solar: Sunstor 300 Litre 400kPa Indirect   | 620 x 1796mm 400kpa @ 61kg                        | R 10,124.993      | R 11,542.492      |

Pricelist is valid for one month from generation date.

Soldardome SA reserves the right to change any price of any product without prior warning.

Terms and conditions apply. To view our terms and conditions visit our website at [www.soldardome.co.za](http://www.soldardome.co.za) or ask one of sales representatives.

**Price List Name: General Retail Pricelist**

valid until 31 March 2010

| <u>Item Description</u>                          |  | <u>Excl Price</u> | <u>Incl Price</u> |
|--|--|-------------------|-------------------|
| Geysers Solar: Sunstor 500 Litre 400kpa Direct   | 760 x 1926mm 400kpa @ 100kg (28mm tubing)          | R 15,691.320      | R 17,888.105      |
| Geysers Solar: Sunstor 600 Litre 400kpa Direct   | 760 x 2200mm 400kpa (28mm tubing)                  | R 17,494.566      | R 19,943.805      |
| Geysers Solar: Sunstor 800 liter 400kPa Direct V | Geysers Solar: Sunstor 800 liter 400kPa Direct V   | R 20,460.000      | R 23,324.400      |
| Insulation: 16ID/6 rubber                        | external ,16 mm ID, 6mm thick wall, per 1m length  | R 11.427          | R 13.027          |
| Insulation: 23ID/8 rubber (SPX33BT23T)           | external, 23 mm ID, 8mm thick wall , per 1m length | R 11.419          | R 13.017          |
| Insulation: 28ID/8 Rubber                        | external, 28 mm ID, 8mm thick wall , per 1m length | R 12.642          | R 14.412          |
| Insulation: 32ID/10 rubber (SPXBPT52)            | external, 32mm ID, 10mm thick wall , per 1m length | R 15.482          | R 17.649          |
| Insulation: 54ID/8 Rubber                        | external, 54 mm ID, 8mm thick wall , per 1m length | R 44.445          | R 50.667          |
| Integral :Sunstor 110L solar water heater        | 1580 x 830 x 320 mm                                | R 6,342.517       | R 7,230.469       |
| Integral :Sunstor 15 litre solar water heater    | 620 x 470 x 320 mm                                 | R 1,553.332       | R 1,770.799       |
| Integral :Sunstor 27.5 litre solar water heater  | 960 x 475 x 320 mm                                 | R 1,601.596       | R 1,825.819       |
| Interconnecting pipe set for 100L - 200L systems | interconnecting pipes for 100l - 200l systems      | R 625.525         | R 713.098         |
| Interconnecting pipe set for 300l systems        | double panel pipe set for 300 L                    | R 663.614         | R 756.520         |
| Pumps: DAB VS35/150m,                            | Pump: DAB VS35/150m                                | R 3,505.500       | R 3,996.270       |
| Pumps: DAB VS65/150                              | DAB VS65/150 Circulation Pump: 10-70 l/min,103W    | R 3,778.500       | R 4,307.490       |
| Pumps: DAB VS8/150                               | DAB VS8/150 Circulation Pump: 10-30 l/min,46W      | R 1,794.450       | R 2,045.673       |
| Pumps: Ivan SID10PV                              | Ivan SID10PV Static Impeller Drive brass circulati | R 2,151.504       | R 2,452.715       |
| Pumps: Ivan SID20PV                              | Ivan SID20PV Static Impeller Drive brass circulati | R 2,806.979       | R 3,199.956       |
| Pumps: Ivan SID5PV                               | Ivan SID5PV Static Impeller Drive brass circulatin | R 2,135.024       | R 2,433.928       |
| Pumps: Laing Ecocirc D5 Solar-38-700B            | Pumps: Laing Ecocirc D5 Solar-38-700B              | R 1,925.569       | R 2,195.149       |
| Pumps: Wilo RS15/6-3 P                           | Wilo Circulator Pump RS15/6-3 P                    | R 1,875.000       | R 2,137.500       |
| sld/spx2.9 vertical panel                        | sld/spx2.9 vertical panel                          | R 5,219.217       | R 5,949.907       |
| Stand 35° foldable close coupled galv stand      | Stand Galvanized 35° angle and 2400mm carry lengh  | R 413.331         | R 471.198         |
| Stand 35° foldable stand for collector only      | Stand Galvanized 35° angle and 1970mm carry lengh  | R 302.004         | R 344.285         |
| Stands: Stand 33° 1250 mm per unit               | Stand Galvanized 33° angle and 1250 mm carry leng  | R 252.000         | R 287.280         |
| Stands: stand support                            | Stand support                                      | R 77.700          | R 88.578          |
| Tube Copper: 12mm Class 1                        | per 5.5m length                                    | R 127.778         | R 145.667         |
| Tube Copper: 15mm Class 1                        | per 5.5m length                                    | R 175.000         | R 199.500         |
| Tube Copper: 15mm Class 2                        | per 5.5m length                                    | R 274.876         | R 313.359         |
| Tube Copper: 15mm Class1 insulated               | per 5.5m lenght with insulation                    | R 259.427         | R 295.747         |
| Tube Copper: 22mm Class 1                        | per 5.5m length                                    | R 338.436         | R 385.817         |
| Tube Copper: 22mm Class 2                        | per 5.5m length                                    | R 397.418         | R 453.057         |
| Tube Copper: 22mm Class1 insulated               | per 5.5m lenght with insulation                    | R 424.095         | R 483.468         |
| Tube Copper: 28mm Class 1                        | per 5.5m length                                    | R 541.296         | R 617.077         |
| Tube Polycop: 15mm Tubing p/m                    | Tube 15mm Polycop Tubing p/m                       | R 3.360           | R 3.830           |
| Tube Polycop: 22mm Tubing p/m                    | Tube 22mm Polycop Tubing p/m                       | R 6.720           | R 7.661           |
| Tube Polyethylene 40 price p/meter               | Poly pipe 40 class 3 LDPE price p/meter            | R 4.620           | R 5.267           |
| Valve ONLY: Cobra MF400                          | Pressure reducing VALVE ONLY Masterflo II 400kPa   | R 542.262         | R 618.179         |
| Valve PACK: Cobra MF400 (PA4.332PK)              | Pressure reding set Masterflo II 400kPa PA4.332PK  | R 630.000         | R 718.200         |
| Valve Set: 400kPa Split                          | valve set for split installation                   | R 600.933         | R 685.064         |
| Valve Set: Close Coupled 400kPa                  | Installation set Close Couple 400kPa               | R 884.937         | R 1,008.828       |

Pricelist is valid for one month from generation date.

Solardome SA reserves the right to change any price of any product without prior warning.

Terms and conditions apply. To view our terms and conditions visit our website at [www.solardome.co.za](http://www.solardome.co.za) or ask one of sales representatives.

**Price List Name: General Retail Pricelist**

valid until 31 March 2010

| <u>Item Description</u>                            |  | <u>Excl Price</u> | <u>Incl Price</u> |
|--|--|-------------------|-------------------|
| Valve Set: Cobra MF100                             | Pressure reducing set. Masterflo II 100kPa PA4.712 | R 606.578         | R 691.499         |
| Valve Set: Cobra MF200 (PA4.722)                   | Pressure reding set. Masterflo II 200kPa (PA4.722) | R 615.006         | R 701.107         |
| Valves: Air Release 15 mm (362 1/2")               | Air release valve MIC 15mm with red cap            | R 52.920          | R 60.329          |
| Valves: Air release 22mm (362 3/4")                | Air Release valve (silver metal casing), 22mm male | R 68.040          | R 77.566          |
| Valves: Taconova AV23 Balance valve (223.1238.000) | 3/4mx3/4m x 2-8L/min                               | R 380.576         | R 433.857         |
| Valves: Taconova AV23 Balance valve (223.1239.000) | 3/4mx3/4m x 3-12L/min                              | R 380.576         | R 433.857         |

Pricelist is valid for one month from generation date.

Solardome SA reserves the right to change any price of any product without prior warning.

Terms and conditions apply. To view our terms and conditions visit our website at [www.solardome.co.za](http://www.solardome.co.za) or ask one of sales representatives.